



QUICK INSTALL GUIDE





SILVER STORE 2-DRIVE NAS

EXTERNAL REMOVABLE DUAL NETWORK HARD DRIVE / 3.5" / GIGABIT LAN / USB 3.0 HOST





Dear user,

This quick install guide provides you with the basic setup instructions of your SilverStore 2-Drive NAS.

For more detailed information see the user manual (PDF file) on the CD.

Your device is preconfigured as RAID 0 (maximum capacity). For maximum data security, we recommend configuring the device as RAID 1 (see user manual page 40).

HARDWARE INSTALLATION (with HDD included)



Plug the LAN cable into the Freecom SilverStore 2-Drive NAS.



Connect the cable of the power supply to the drive and to the socket.



Connect the other end of the LAN cable to a network router.

Please note: Your router must be configured as DHCP server. See the manual of your router for further information how to setup DHCP server function.



Power on.

Please note: When using two new HDDs, you have to proceed with the chapter "User Recovery" first.



Need assistance? Have questions?

In case you have a question about the use of this product, need information about other Freecom products or need technical assistance, please contact the Freecom Service Center for your country. See www.freecom.com for details.

Freecom offers free unlimited helpdesk support.









SOFTWARE INSTALLATION



Install Software:

- a) Insert Manual & Application CD.
- b) Double-click "Start PC.exe"/ "Start Mac".
- c) Go to Software Installation.
- d) Install the Freecom Network Storage Assistant.



FNS Assistant (FNSA)

The Freecom Network Storage Assistant helpsyoutolocate your Freecom Silver Store 2-Drive NAS in your network.

It can also be used to

- quickly open the SilverStore 2-Drive NAS configuration website.
- configure the basic settings.
- mount shared network folders.
- a) Start the FNS Assistant and select the device from the device list.
- b) Go to "Web interface of your Freecom Network Storage device" for initial configuration.



Admin login:

Use default administrator password to login to the configuration:

admin User: Password: admin

Follow the Setup Wizard for initial device configuration.



Access the SilverStore from the outside

Please see the Chapter "Access to the SilverStore from the outside"









HARDWARE INSTALLATION (for KIT or 2 new HDD)

Tray remove



Handle with care!



Push down Eject button and open tray handle max. 45°!

HDD insertion



Insert the HDD into the side with the fixed tray holder.

Tray insertion



Insert tray with open tray handle into the slot! Push tray with thumb totally into the device!



Encompass the tray handle! Fix device location by other hand and pull out the tray!



Lock the HDD on the other side with the flexible tray holder.



Close tray handle!









USER RECOVERY (required for KIT or 2 new HDD)

FNSA User Recovery



Install Software:

- a) Insert Manual & Application CD.
- b) Double-click "Start PC.exe"/ "Start Mac".
- c) Go to Software Installation.
- d) Install the Freecom Network Storage Assistant.

To continue with the FNSA User Recovery, please turn the SilverStore 2-Drive NAS off.



Enable the Recovery mode by clicking 'Start the recovery procedure' in the Freecom Network Storage Assistant.



Use a pointed object to carefully press the 'Reset' button (e.g. paper clip). It is located next to the AC power slot on the back of the SilverStore 2-Drive NAS.





Keep the 'Reset' button pressed down and turn device on again.

Wait until white LED goes off (ca. 8 seconds), then release the 'Reset' button.

Depending on the hard disk capacity, the recovery procedure might take up to 30 minutes.

Successful recovery

The User Recovery is finished when the message *Recovery successfully finished* is shown.









ACCESS TO THE SILVER STORE FROM THE OUTSIDE

1. Sharing folders for Tonido Remote Access

By default the SilverStore is sharing the Public folder for remote access when Tonido Private Cloud is enabled. You can add or remove shares in the interface.

Login to the SilverStore web interface and go to Storage - Shares. Select a folder and click on "Modify Share" and choose "Tonido Remote Access".



2. Tonido Remote Access Configuration

Login to the Silver Store we bin terface and click on the menuitem ``Tonido Remote Access".



3. Account Creation

Select an account name, enter password and mail address and accept the Terms of Use. Your device will be available from the outside under the web address http://test.freecomnas.com (where "test" stands for the name you selected).











To logon remotely via available apps for iOS, Android, PC etc. you can use the Account name (username) and password entered. To allow guest users access with their own username and password proceed with the next chapter "Adding Users".

4. Adding users

In the Tonido GUI, go to "Guest Users". Click on "Add Guest User" to add users that are allowed to access your device.



User Permissions

Define user access limitations for every shared folder ("Allow Access" and/or "Allow Upload").



5. Accessing from the outside

To access the SilverStore you need to use the Account Name as http://[your-account-name].freecomnas.com

Using your main account or allow guest users to logon with their own username and password will give access to your shared files.

You can login with any user name and password you defined for guest users. You can login from any PC and even with your iPhone, Android and Windows Mobile smartphones.







ATTENTION

ATTENTION: The quick start information only gives you a pre-liminary look at the connection and first use of your SilverStore 2-Drive NAS. Be sure to read all the enclosed manuals (CD) and primers carefully before using your drive for the first time.

FR ATTENTION: Cette notice de ATTENTION: Cette notice de démarrage rapide ne donne qu'un aperçu du raccordement et de la mise en service du SilverStore 2-Drive NAS. Avant la mise en marche définitive du SilverStore 2-Drive NAS, il est impératif de lire les notices et les manuels (CD) d'utilisation avec la plus grande attention.

ACHTUNG: Diese Quick Start ACHIUNG: Diese Quick Start Information gibt Ihnen nur einen ersten Überblick über den Anschluss und die Inbetriebnahme des SilverStore 2-Drive NAS. Lesen Sie vor der endgültigen Inbetriebnahme alle beiliegenden Handbücher auf CD und Kurzanleitungen sorgfältig durch.

CZ
POZOR: Tyto informace k rychlému spuštění přístroje Vám poskytnou jen základní přehled o připojení a zprovoznění jednotky Silverštore 2-Drive NAS. Před definitivním uvedením přístroje do provozu si pozorně přečtěte všechny příručky uložené na pevném disku CD a krátké návody.

ES
ATENCIÓN: Esta información rápida de inicio contiene sólo unas indicaciones generales sobre la conexión y la puesta en funcionamiento del SilverStore 2-Drive NAS. Antes de la puesta en funcionamiento definitiva, lea con atención todas las in-strucciones breves y manuales (CD) adjuntos.

WAARSCHUWING: De voorliggende informatie geeft u een kort overzicht van de aansluiting en inbedrijfstelling van de SilverStore 2-Drive NAS. Lees van de SilverStore 2-Drive NAS. Lees voordat u de SilverStore 2-Drive NAS daadwerkelijk in gebruik neemt de bijgeleverde handboeken (CD) en beknopte gebruiksaanwijzingen zorgvuldig door.

ATTENZIONE: Queste informazioni ATTENZIONE: Queste informazioni quick start offrono solo una prima panoramica del collegamento e della messa in esercizio del SilverStore 2-Drive NAS. Prima della messa in esercizio definitiva, leggere attentamente tutti i manuali (CD) forniti e tutte le informazioni

ВНИМАНИЕ: Ланная краткая памятка дает лишь первое представление о подключе вводе в эксплуатацию устройства вводе в эксплуатацию устроиства Freecom. Перед окончательным вводом в эксплуатацию внимательно прочитайте все прилагаемые справочники, размещенные на компакт-диск, и краткие руководства.

HOTLINE

0031703367610

0033134047205

1

1

OBSERVERA: Snabbstart-informationen ger dig en inledande guide för anslutning och inledande användning av din SilverStore 2-Drive NAS. Var snäll och läs alla medföljande manualer (CD) och andra dokument innan enheten används för första gången.

PL UWAGA: Piniejsze informacje na temat szybkiego uruchamiania dostarczają. Państwu jedynie podstawowych wskazówek dotyczących przyłączania i uruchamiania napędu Freecom. Przed ostatecznym uruchomieniem prosimy dokładnie przeczytać wszystkie załączone podręczniki zawarte na CD oraż krótkie instrukcje obsługi.

EL ΠΡΟΣΟΧΗ: Οι παρούσες πληροφορίες γρήγορης εκκίνησης – Quick Start παρέχουν απλά μια πρώτη ματιά ως προς τη σύνδεση και τη θέση σε λειτουργία του SilverStore 2-Drive NAS. Πριν την οιριτική θέση σε λειτουργία, διαβάστε προσεκτικά όλα τα επισυνιαπτώρωτα εγχειρίδια του CD και ις σύντομες οδηγίες.

SUPPORT België (NL)*

Belgique (F)*

| 3 1 , | |
|-------------------------------|-----------------------|
| Belgien (D)* | 0049210277000 |
| Danmark | 787 752 49 |
| Deutschland | 02102 77 00 0 |
| España | 902 40 10 24 |
| France | 01340 472 05 |
| Ireland | (+44) (0)208 18 18 91 |
| Italia | +353 614 25 892 |
| Nederland | 070 336 76 10 |
| Norge | 622 07 835 |
| Österreich | 0049 2102 77 00 0 |
| Schweiz (D) | 0848 88 99 10 |
| Suisse (F) | 0848 88 77 10 |
| Suomessa | 931582721 |
| Sverige | (0)571 749425 |
| United Kingdom | (+44) (0)208 18 18 91 |
| Asia, Australia & New Zealand | +886 (0)2-27001007 |
| Hong Kong | +852-2314-1220 |

EMAIL

supportnl@freecom.com

supportfr@freecom.com supportde@freecom.com supportno@freecom.com supportde@freecom.com supportib@freecom.com supportfr@freecom.com supportuk@freecom.com serviziotecnico@freecom.com supportnl@freecom.com supportno@freecom.com supportde@freecom.com supportde@freecom.com supportfr@freecom.com supportno@freecom.com supportno@freecom.com supportuk@freecom.com supporttw@freecom.com supporthk@freecom.com supportcn@freecom.com supportjp@freecom.com

WWW.FREECOM.COM

* (alléén in België/seulement pour la Belgique/nur in Belgien)

P.R. China

other countries

Japan

USA

The information in this Quick Install Guide may change without notice.

supportint@freecom.com







+86 755 8826 4860

0570-085200

714-599-9973

0049210277000